How a Contact Center Works

The contact center as an operating system for patient access

An executive guide to the relationships among demand, capacity, resolution, and organizational learning.

PURPOSE

Executive education

PERSPECTIVE

Healthcare access

FORMAT

Companion presentation

Patient need begins the contact-center operating chain

Every stage shapes whether the organization provides access, completes the work, and learns from the interaction.

01
Patient need
Information, assistance, or action

›

02
Contact demand
One need may create several attempts

›

03
Channel and routing
The interaction reaches a resource

›

04
Workload and capacity
Work meets available skills

›

05
Action and outcome
Resolved, deferred, or transferred

›

06
Organizational insight
Patterns inform system improvement


FEEDBACK LOOP

Conversation evidence returns to the organization, where leaders can validate patterns, correct source processes, and monitor whether future demand changes.

Queues reflect the timing of demand and capacity

Monthly staffing can appear sufficient while patients still wait during predictable periods of the day.

ILLUSTRATIVE INTERVAL PATTERN



EXECUTIVE IMPLICATION

When demand temporarily exceeds available capacity, work waits. Daily averages do not show whether capacity was present when people needed it.

Illustrative only. The chart explains timing and variation rather than a staffing benchmark.

Six capabilities determine whether the need is resolved

A weakness in one part of the system can appear as a contact-center performance problem.

Demand and access

Why people contact the organization and which barriers they face

Workforce and capacity

People with the right skills at the times work arrives



Process and authority

Clear work design and the ability to complete appropriate actions

Knowledge and skills

Accurate information and the judgment to apply it

Technology and data

Routing, system access, records, measurement, and integration

Organizational partners

The functions required to complete the patient's request

A scheduling request can cross the entire organization

The same patient need can produce one resolution or several contacts, depending on the surrounding system.

ILLUSTRATIVE SCENARIO

A patient receives a referral and contacts the health system to schedule a specialist appointment.

RESOLVED DURING THE INTERACTION

01 Correct queue › 02 Referral visible › 03 Rules and access › 04 **Appointment scheduled**

One contact · one completed need

RESOLUTION DEFERRED ACROSS FUNCTIONS

01 General queue › 02 Referral incomplete › 03 Transfer and follow-up › 04 **Patient contacts again**

More volume · more work · delayed access

Work placement affects contact-center availability

Every activity consumes capacity somewhere. Leaders should decide deliberately where work belongs.

01

Current interaction

Work needed to address the patient while the contact remains active

02

Contact follow-up

Deferred work created by the interaction and required for completion

03

Assigned administration

Processing placed in the center for organizational convenience

04

Specialized work

Activities requiring another operational or clinical capability

MORE DIRECTLY CONNECTED TO LIVE AVAILABILITY

REQUIRES A DELIBERATE OWNERSHIP DECISION

SELAS perspective: Contact centers should accept the work required to fulfill their service promise. They should not become the default home for unrelated work.

The same metric can have several causes

Operating measures describe what happened. Leaders still need to identify why it happened.

WHAT YOU SEE	POSSIBLE CAUSES	READ ALONGSIDE
Longer waits	Demand surge · schedule mismatch · absence · routing complexity · system disruption	Forecast error · available staff · abandonment · interval service
Lower handle time	Simpler work · process improvement · transfer behavior · incomplete resolution	Resolution · repeat contacts · transfers · quality
Higher volume	Growth · outreach · unclear communication · digital failure · repeat attempts	Contact reasons · unique needs · repeat rate · channel path

A metric becomes useful when leaders connect the result to the operating conditions, patient outcome, and organizational decision behind it.

Conversations reveal where people struggle to navigate

Interaction data becomes useful only when the organization validates the pattern and changes the source process.

01
Classify
Describe why people contacted the organization

›

02
Find patterns
Identify recurring friction and unmet need

›

03
Validate
Compare conversations with other evidence

›

04
Assign ownership
Connect the issue with leaders who can act

›

05
Improve and monitor
Change the source process and test the result

Important limitation

Contact-center data reflects people who reached a measured channel. It may omit those who could not access the channel, abandoned unidentified, used another path, or gave up.

Questions for executives

The strongest questions cross organizational boundaries and connect operating results with patient outcomes.

01 What patient needs generate the most demand, and which functions influence that demand?

02 Do we measure successful resolution or mainly activity and speed?

03 Which contacts require transfers, callbacks, or repeat attempts, and why?

04 What work prevents employees from remaining available for new patient needs?

05 How does conversation evidence reach the leaders who can correct the source problem?

The next concepts deepen the operating model

Readers can follow the recommended sequence or choose the path most relevant to their decisions.

RECOMMENDED NEXT

From Patient Need to Contact Demand

Why one underlying need may generate several interactions

ACCESS

Queues and Waiting

Why timing, variation, and capacity shape responsiveness

SERVICE DESIGN

Contact Types, Channels, and Work Mix

How channel and work choices affect the operating model

CAPACITY

Translating Demand into Workload

How volume, handle time, mix, and timing become required work

Sources

ISO 18295-1:2017 · ICMI Operations Study Guide · US Department of Justice effective-communication guidance · Peer-reviewed research on healthcare telephone access · US health-system patient-access consensus framework